

Urine Rescue

MSDS Number: B114

Revision Date: November 14, 2013

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Kärcher North America, Inc.
Prochem
325 S. Price Road
Chandler, AZ 85224

Contact: Prochem
Phone: 480-899-7000
Fax: 480-786-9538
Email: info@prochem.com
Web: www.prochem.com

Product Name: Urine Rescue
Revision Date: November 14, 2013
Version: 41-97A
MSDS Number: B114


Emergency Information: INFOTRAC 1-800-535-5053 International 1-352-323-3500

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Skin; Inhalation;
Target Organs: Eyes; Skin;
Inhalation: Minimal respiratory tract irritation may occur with exposure to a large amount of material.
Skin Contact: Can cause irritation and dermatitis.
Eye Contact: Can cause irritation, redness and burns.
Ingestion: Irritating to intestinal tract; may cause burns, vomiting, stomach pain, and disorientation.

NFPA:
HMIS III:

Health = 3, Fire = 0, Reactivity = 1
H3/F0/PH3



HMIS III	
HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARDS	3
PERSONAL PROTECTION B Safety Glasses, Gloves	

PERSONAL PROTECTION INDEX			
A	Eye Protection	G	Eye Protection, Hand Protection, Foot Protection
B	Eye Protection, Hand Protection	H	Eye Protection, Hand Protection, Body Protection, Foot Protection
C	Eye Protection, Hand Protection, Body Protection	I	Eye Protection, Hand Protection, Foot Protection
D	Eye Protection, Hand Protection, Body Protection, Foot Protection	J	Eye Protection, Hand Protection, Body Protection, Foot Protection, Respiratory Protection
E	Eye Protection, Hand Protection, Body Protection, Foot Protection, Respiratory Protection	K	Respiratory Protection, Hand Protection, Body Protection, Foot Protection
F	Eye Protection, Hand Protection, Body Protection, Foot Protection, Respiratory Protection, Additional Protection	X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions
A	Safety Glasses	n	Speech Goggles
o	Face Shield & Eye Protection	p	Gloves
q	Boots	r	Synthetic Apron
s	Full Suit	U	Vapor Respirator
t	Dust Respirator	w	Dust & Vapor Respirator
y	Full Face Respirator	z	Airline Hood or Mask
Additional Information			

Urine Rescue

MSDS Number: B114

Revision Date: November 14, 2013

Page 2 of 5

GHS Hazard Pictograms:



GHS Classifications:

Physical, Oxidizing Liquids, 3
Health, Acute toxicity, 4 Oral
Health, Acute toxicity, 4 Dermal
Health, Serious Eye Damage/Eye Irritation, 2 A

GHS Phrases:

Warning, H272 - May intensify fire; oxidizer
Warning, H302 - Harmful if swallowed
Warning, H312 - Harmful in contact with skin
Warning, H319 - Causes serious eye irritation

GHS Precautionary Statements:

Keep away from heat/sparks/open flames/hot surfaces. No smoking
Keep/Store away from clothing/combustible materials.
Take any precaution to avoid mixing with combustibles. Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
IF ON SKIN: Wash with soap and water.
IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.
Continue rinsing.
Call a POISON CENTER or doctor/physician if you feel unwell.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use ABC extinguisher for extinction.

3

HAZARDS IDENTIFICATION

Ingredients:

CAS #	Percentage	Chemical Name
7722-84-1	<10%	Hydrogen peroxide, aqueous solutions with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)

OSHA Regulatory Status:

This SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Urine Rescue

MSDS Number: B114

Revision Date: November 14, 2013

Page 3 of 5

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air; if symptoms persist, obtain medical attention.

Skin Contact: Wash with soap and water. If irritation persists consult medical personnel.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get immediate medical attention.

Ingestion: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: 100°C/ 212°F

Flash Point Method: Closed Cup

Wear self-contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

Keep away from drains and ground water. Keep all unnecessary personnel away. Spill area may be slippery. Pick up excess with inert absorbent material and place into separate waste container. Ventilate area and wash spill site after material pickup is complete. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, or clothing; Consider normal working hygiene. Handle with care and avoid spillage on the floor (slippage). Keep away from sources of ignition; wash thoroughly after handling.

Storage Requirements: Keep away from children. Store in cool/dry area; Keep container closed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Normal room ventilation is satisfactory for limited use.

Personal Protective Equip: HMIS PP, B | Safety glasses, Gloves

Hydrogen Peroxide 7722-84-1 OSHA PEL 1 ppm/ 1.4 mg/m3

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear colorless

Physical State: Liquid

Spec Grav./Density: 8.62 lb/gal

pH: 3.0 - 5.0

Solubility: Soluble

Urine Rescue

MSDS Number: B114

Revision Date: November 14, 2013

Page 4 of 5

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to Avoid: None Known
Materials to Avoid: None Known
Hazardous Decomposition: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Toxicity Data:

Hydrogen Peroxide 7722-84-1

Oral (LD 50): 910 mg/kg - Rat

Inhalation (LC 50): Not listed on RTECS

Skin irritation: Severe

Eye irritation: Severe

Sensitization: Not considered an occupational sensitizer

12 ECOLOGICAL INFORMATION

On the basis of available information, this material is not expected to produce any significant environmental effects when recommended use instructions are followed.

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

14 TRANSPORT INFORMATION

4 Gallon case - Limited Quantity (LTD QTY)
 55 Gall Drum - UN2984 Hydrogen Peroxide, aqueous solutions, 5.1, III
 Ship in accordance with 49 CFR parts 100-185.

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERCENT) / CODES

 *Hydrogen peroxide, aqueous solutions with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary) (7722841 <10%) EHS302, MASS, NJHS, OSHAPSM, OSHAWAC, PA, TSCA, TXAIR, WHMIS

Urine Rescue

MSDS Number: B114

Revision Date: November 14, 2013

Page 5 of 5

REGULATORY KEY DESCRIPTIONS

All components are listed on TSCA

EHS302 = Extremely Hazardous Substance
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHAPSM = OSHA Chemicals Requiring process safety management
OSHAWAC = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level
WHMIS = workplace Haz Mat Info Sys Canada

16

OTHER INFORMATION

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager

Phone Number: [480] 899-7000